



THE COMPLETE **SILAGE PROTECTION WRAP**

**FIBER
TORNADO**



High resistance
to hole propagation

FIBER TORNADO

A NOVELTY IN **SILAGE BALE WRAP**

Fiber Tornado is a **fiber reinforced multilayer film** that can replace traditional netting, granting a **higher oxygen barrier** and making the whole bale more compact.

APPLICATION

- ▶ Film Stretching up to 15%
- ▶ Min 3 layers (full width)
- ▶ Indoor storage - Dry place
- ▶ Ideal for combi-wrappers and stationary machines

ADVANTAGES

- ▶ Superior mechanical properties
- ▶ Excellent oxygen barrier & bale tightness
- ▶ High resistance to hole propagation thanks to the fibers
- ▶ Possibility of 10% more length per roll
- ▶ More bales per roll
- ▶ Easy bale unwrapping

Product Grade	Width mm	Reel Length m	Reels/Pal	Pallet Dimension cm	Pallet Weight Kg	Color
Fiber Tornado SL	1280	2400/2650	20	110*130	730/800	White with blue fibers
Fiber Tornado L	1280	2400	20	110*130	805	White with blue fibers
Fiber Tornado GP	1280	2000/2200	20	110*130	750/820	White with blue fibers
Fiber Tornado GP	1380	2000/2200	20	112*140	810/880	White with blue fibers

**SUSTAINABILITY
& USER FRIENDLINESS**



Less material used



Less plastic per bale



THE POWER OF **FIBERS** IN **BALING**

Fiber Guard is a **fiber reinforced multilayer film** that creates a **protection grid** around the bale, ensuring **tight wrapping** with consistent film stretching. The **superior film strength** thanks to this unique structure **prevents tearing and breakages** during bale wrapping.

APPLICATION

- ▶ Consistent film stretching (up to 80%)
- ▶ 58 - 62cm film width
- ▶ Superior performance in all weather conditions
- ▶ Excellent resistance to UV radiation (12 months/180 KLy)
- ▶ Minimum 6 layers
- ▶ Best results in combination with Fiber Tornado

ADVANTAGES

- ▶ Optimum puncture and superior tear resistance
- ▶ Excellent layer stickiness and bale tightness
- ▶ Optimal oxygen barrier
- ▶ High efficiency & consistency

Width (mm)	Reel Length m	Box -Reels /Pal	Pallet Dimension cm	Pallet Weight Kg	Pallet Height cm	Color
750	1500	40	100*120	915	175	White/Green/Black
750	1800	40	112*130	975	175	White/Green/Black

For any further information do contact us at info@megaplast.gr



Reduced waste



100% Recyclable



Worry-free performance

Greece

HEAD OFFICES

Mega Plast Industrial-Exporting S.A.

16, Paradeisou street
151 25 Marousi Attica, Greece
Tel. No: +30 210 89 000 81
Email: info@megaplast.gr

CRETE PLANT & FACILITIES

Mega Plast Industrial-Exporting S.A.

Industrial Area, Road A/D
71601 Heraklion Crete, Greece
Tel. No: +30 2810 381412
Email: sales@megaplast.gr

THIVA PLANT & FACILITIES

Mega Plast Industrial-Exporting S.A.

9th Km National Road Thiva-Halkida
Mesovouni - Kasani Area, Number 44,
322 00, Thiva-Viotia, Greece
Tel. No: +30 2262 701400
Email: sales@megaplast.gr

United Kingdom

Megaplast (UK) Ltd

UK & Ireland, Scandinavia,
Baltic States & Australasia
PO Box 5039
Sheffield S2 9FL, UK
Tel. No: +44 3333 239662
Email: salesuk@megaplast.co.uk

Spain

Megaplast SPAIN SL

Spain & Portugal

Ronda President Irla
26 Despacho nr.32
Centro de Negocios Mataró (CENEMA)
08302 Mataró, SPAIN
Tel. No: +34 937 993 584
Email: iberia@megaplast-spain.es

Italy

Megaplast ITALIA SRL

Via Fratelli Rosselli, 4
28100 Novara (no), Italy
Tel. No: +39 349 9030304
Email: info@megaplast-italia.it

Germany

Megaplast

Verpackungsinnovationen GmbH

Germany & Central Europe

Bechliner Chaussee 25C
16816 Neuruppin, Germany
Tel. No: +49 33970 509450
Email: info@megaplast-deutschland.de

United States

Megaplast USA Inc

9650 Strickland Road, Suite 103-151
Raleigh, NC 27615
Tel. No: +1 919 747-8657
Email: admin@megaplast-usa.com

